
Automated Data Testing over Wireless Networks

(3G, 4G, 5G, WiMax, LTE, WiFi)



Overview

Communication is dramatically changing as mobility and IP technologies such as LTE, Advanced LTE, WiMax, 3G, and Broadband Internet lead this transformation. As these technologies are rolled out, basic voice/data quality will ultimately determine the fate of carriers and end equipment manufacturers.

GL's **VQuad™ NetTest** solution provides automated network data testing while supporting Mobile Devices (Android & Apple) and a PC internet connection. Using GL's VQuad[™], both Voice and Data Quality can be analyzed simultaneously on a wireless or wired network. Since the GL VQuad[™] solution is network independent, all networks are supported including 3G, 4G, 5G, WiMax, LTE, and Advanced LTE. In addition all PC based internet connections are supported including WiFi, Broadband Card (3G/4G/5G/LTE), and Wired Ethernet.

Supported data tests include TCP, UDP (capacity), VoIP, Route, HTTP (web lookup), DNS, FTP and SMS, Email, Phone Info, SIM Info, UE Info, and Video Simulation. These tests can be fully automated using the VQuad[™] scripting. While testing mobile devices, the VQuad[™] remotely accesses the Android/Apple phone/tablet for initiating the test and retrieving the results. Both automated remote access along with manual testing is available on the mobile device using the Android/Apple downloadable apps.

GL's VQuad[™] Scripting, portability for mobile drive testing, remote accessibility, analysis and centralized data retrieval are just a few attributes of GL's next generation voice and data testing solution. The testing along with the result generation is fully automated and can be controlled from a central system or via a web browser. All test results are automatically relayed to a Central Database where they are accessed via a simple web browser/viewer.

For more details, refer Automated Data Testing over Wired and Wireless Networks webpage.

🚳 GL Communications Inc.

818 West Diamond Avenue - Third Floor, Gaithersburg, MD 20878, U.S.A (Web) <u>www.gl.com</u> - (V) +1-301-670-4784 (F) +1-301-670-9187 - (E-Mail) <u>info@gl.com</u>

Main Features

- GL NetTest supports both Android and Apple devices and is Network independent including support for 3G, 4G, 5G, WiMax, LTE, and Advanced LTE
- PC Based GL NetTest solution includes support for WiFi, Broadband Card (3G/4G/5G/LTE), and wired Ethernet
- Downloadable application available for both Android and Apple devices supporting manual and automated operation
- NetTest supports TCP, UDP, HTTP, VoIP, FTP, DNS, and Video simulation testing for both PC and Mobile devices
- SMS, Email, Phone Info, SIM Info, and UE Info testing are available for mobile devices only
- Complete automation and a centralized system to control and monitor remotely
- Simultaneous voice and data quality tests supporting 3G/4G/5G networks
- <u>VQuad[™] Probe</u>, self contained unit includes VQuad[™], Dual UTA and PC
- Control via Ethernet Remote Desktop (with support for mouse/keyboard)
- TCP, UDP, VoIP, Route, HTTP, FTP, DNS, SMS, Email, Phone Info, SIM Info, UE Info, and Video Simulation
- Access Mobile Device and PC based NetTest Statistics and Results through WebViewer™
- Data, Voice, and Video Network Quality Testing
- Up to 8 Simultaneous and Independent Tests per VQuad™
- View and Control all Probes, Events, Results via browser

NetTest from PC and Mobile Devices

GL's <u>VQuad[™] NetTest</u> solution supports data testing from PC and from mobile devices (using Mobile Device Controller). VQuad[™] can send commands (via the VQuad[™] scripting) to the MDC and automate the NetTest to be performed on any connected Mobile Devices. Manage Devices option gives the flexibility to manage the NetTest supporting devices (with MDC app installed) connected to MDC server. The Mobile Device will run the specified NetTest irrespective of whether the phone is on a voice call or not.

- Automated and Manual Data Testing (NetTest) to test TCP, UDP capacity, VoIP, Route, HTTP, FTP, DNS, SMS, Email, Phone Info, SIM Info, UE Info, and Video Simulation
- Statistics and complete results are available through the WebViewer[™] for both Mobile Device NetTests and PC based NetTests.
- Flexibility to manage the mobile device connections within the MDC server
- Email Alert to automatically send the Phone Info and Geographical location of the mobile devices in pending requests
- GL NetTest Video testing can simulate the real time streaming protocol (RTP) by utilizing both the GL NetTest VoIP and UDP tests running in parallel
- User parameters include Video Codec and Video Resolution with the corresponding Compressed Frame size, Bytes and Packets/ sec automatically determined
- This test provides video based metrics including Jitter, Packet loss, QOS and Packet rate

The NetTest requires a GL Data Server at each target location, and the Mobile Device requires a GL deployed app (Apple or Android based) for operation.


PhoneApp Server IP: 127.0.0.1 Command: Start Auto Device Name (UUID):U3NP - ip			Auto	Test Paramete Call ID	rs MDCAutoTest	Server Dir	conencl		
		utoTest	•	Loop (Continuous 💌 🕂	Perform Function			
		-iphone3GS	Time	Time Interval (s) 5		Refresh Phone List			
Te	est Parameters: TCP 12	2.181.135.187:81 8	000 Both Off On		- U	+ Manage	Devices		
Ph	one List	Events)	Client	List	Received Message			Audit Log
honelD	Device Name (UUID)	Phone Number	Device Model	Device G	Romete IP:Devi	Test Status	Pr	A	Last Activity
000003	2925 - Nexus	NA	Nexus S	12.927,7		PhoneIdleAutoTest		5	08/05/2014 12:00:12
000005	8960 - iBall	NA	iBall Slide 3G Q	12.927,7		PhoneIdle		5	08/04/2014 18:48:08
800000	DKPJ - GL'siPad	No Sim	iPad2 Wifi	12.926,7	LocalHost	PhoneIdleAutoTest		5	08/05/2014 12:00:09
000004	U3NP - iphone3GS	No Sim	iPhone3GS	12.926,7		PhoneIdleAutoTest		5	08/05/2014 12:00:09
000007	7047 - GT	NA	GT-19060	0.0,0.0		PhoneSuspended		900	08/05/2014 11:45:59
000011	hYU= - Nokia 630	NA	NOKIA RM-976	0.0,0.0	LocalHost	PhoneIdle		5	08/05/2014 12:00:13
000002	DTD0 - GLiphone4s	No Sim	iPhone4S	12.916,7	122.181.135.18	PhoneIdle		5	08/03/2014 22:13:18
000012	0452 - motoe	NA	XT1022	12.926,7	LocalHost	PhoneIdle		5	08/05/2014 12:00:10
000009	3018 - HTC	NA	HTC Desire 60	12.927.7	LocalHost	PhoneIdle		5	08/04/2014 12:31:05
000006	5103 - LG	NA	LG-P936	0.0.0.0		PhoneIdle		5	08/05/2014 11:49:24
000014	e0dc - Nexus7Tab	NA	Nexus 7	0.0,0.0		PhoneIdle		5	08/04/2014 19:15:33
							1		
	ase Settings						,	-	,
Send M	Ianual Results to Central	Database Ce	ntral Database IP: 1	22.181.135.18	7 💌	Clear Local Event Lo	g	_	Resend Phone Info

Document Number: VQT600-01

GL Communications Inc.

VQuad[™] Scripting

- Enhanced VQuad[™] scripting for generating a variety of automated voice and data quality tests
- VQuad[™] scripting can send commands to the MDC for initiating NetTest on any connected Mobile Device
- Supports conditional statements along with user-defined variables
- Near-end VQuad[™] device can control the far-end VQuad[™] device via a TCP/IP connection




🛢, Test Type Editor		X
Test Type: SMS	_	
SMS Test Settings		
SMS Type:	Send 💌	
Phone Number(s):	434234234	+
	434234234 32475675 89098089098- 45645646456	
Number of tests:	3	
Delay Time(s):	5	
Message:	Hi from GL Data Test	
<u> </u>		<u>C</u> ancel



NetTest Results Display in VQT Webviewer™

GL WebViewer[™] is a simple, easy-to-use Web browser which can operate on both PC and Mac systems (including iPhone and iPad).

- Multi-user support, and user-friendly interfaces are remotely accessible via browser based clients
- Central Database query via web interface to display results in both tabular and graphical formats
- Results include Call Event, User Defined Events, Bluetooth[®] events, NetTest Results (both PC and Mobile Device), Echo Measurement, VQT, VBA, Delay Measurement and others over TDM, VoIP, and Wireless networks
- NetTest Results including TCP, UDP, Route, VoIP, HTTP, FTP, DNS, SMS, Email, and Video Simulation tests are displayed. Mobile device Information result display includes Phone Info, SIM Info, and UE Info
- Filter results using user-defined search criteria
- Customized Reports and test statistics
- Send all results and Mobile device information along with GPS co-ordinates to the Central Database and plot using the WebViewer™ Google Maps





Buyer's Guide

Item No	Product Description
<u>VQT600</u>	VQuad NetTest Data Server Solution (Requires annual license renewal to remain functional)
<u>VQT601</u>	Mobile Device Controller (MDC) Software
<u>VQT040</u>	WebViewer™
Item No	Related Software
<u>VQT010</u>	VQuad™ Software (Stand Alone)
<u>VQT650</u>	Video Application Controller (VAC)
<u>VQT251</u>	Dual UTA HD Next generation Dual UTA with FXO Wideband support
	Dual of A fib Next generation buar of A with two wideband support
<u>VQT252</u>	Dual UTA HD – Bluetooth Option

Note: PCs which include GL hardware/software require Intel or AMD processors for compliance.

For more details, refer <u>Automated Data Testing over Wired and Wireless Networks</u> webpage.



818 West Diamond Avenue - Third Floor, Gaithersburg, MD 20878, U.S.A (Web) <u>www.gl.com</u> - (V) +1-301-670-4784 (F) +1-301-670-9187 - (E-Mail) <u>info@gl.com</u>