

GL Communications Inc.

Voice Quality Testing Price List

Revised: May 13, 2024

| Part Number | Description | Notes |
|---|--|---|
| | VQT Analysis Options: | |
| VQT002 | Voice Quality Testing - PESQ only | PESQ - Perceptual Evaluation of Speech Quality – RM |
| VQT006a | VQT w/ POLQA only, small license for one / two nodes | POLQA Next Generation Voice Quality Testing for Fixed, Mobile, and IP-based Networks – Dongle or Software license required, |
| VQT006b | VQT w/ POLQA only, medium license for up to 5 nodes | POLQA Next Generation Voice Quality Testing for Fixed, Mobile, and IP-based Networks - Dongle or Software license required, |
| VQT006c | VQT w/ POLQA only, large license for up to 10 nodes | POLQA Next Generation Voice Quality Testing for Fixed, Mobile, and IP-based Networks – Dongle or Software license required, |
| VQT006 | VQT006 w/ POLQA Server license (no limitations) | POLQA - Server license (no limitations) - Next Generation Voice Quality Testing for Fixed, Mobile, and IP-based Networks – Dongle or Software license required, |
| <p>Note (applicable to all VQT POLQA v3 items): Software Key limitations include non-transferable between PCs and must include initial Internet connectivity (as well as internet connectivity within 18 months after first execution) in order to confirm license validity.</p> | | |
| VQT007a | VQT POLQA v3, small license for one / two nodes | POLQA v3 Voice Quality Testing for Fixed, Mobile, and IP-based Networks – both Software license key and Dongle license required. |
| VQT007b | VQT POLQA v3, medium license for up to 5 nodes | POLQA v3 Voice Quality Testing for Fixed, Mobile, and IP-based Networks – both Software license key and Dongle license required. |
| VQT007c | VQT POLQA v3, large license for up to 10 nodes | POLQA v3 Voice Quality Testing for Fixed, Mobile, and IP-based Networks – both Software license key and Dongle license required. |
| VQT007 | VQT POLQA v3, server license for 20 nodes | POLQA v3 Voice Quality Testing for Fixed, Mobile, and IP-based Networks – both Software license key and Dongle license required. |
| <p>Note: Upgrading from VQT POLQA v2 to VQT POLQA v3 requires the Support contract to be current and will cost the following (depending on current VQT006 license), New License associated with this upgrade is VQT007, also requires necessary changes within Customer Database for updating from VQT006 to VQT007.</p> <p>VQT007aU VQT007bU VQT007cU VQT007U</p> | | |
| VQT014 | AutoVQT | A stand-alone application that can run on Windows or Linux and supports automated multi-threaded VQT operation (analyzing hundreds of files using POLQA v2.4 (only) algorithm under very fast conditions). Both VQuad and vMobile audio files are |

818 West Diamond Avenue - Third Floor. Gaithersburg, MD 20878 ● (V) 301-670-4784 (F) 301-670-9187

Web Page Address: <http://www.gl.com/> ● E-Mail Address: gl-info@gl.com

Prices are subject to change

GL Communications Inc.

Voice Quality Testing Price List

Revised: May 13, 2024

| | | |
|---------|--|--|
| | | supported with all results sent to the GL DataImport (MYSQL database) and accessed using the GL WebViewer (web browser); Includes VQT006 (POLQA Server License) |
| VQT014U | Upgrade from VQT POLQA to AutoVQT | Add AutoVQT to the existing POLQA Server license (VQT006). If upgrading a non-Server license (VQT006a/b/c) additional costs will be included, equal to the difference between VQT006 and the current POLQA license. |
| VQT008 | Voice Analysis Tool (VAT) | Stand-alone application to analyze any voice file; provides metrics such as Speech Level, Noise Level, RMS Power, DC Offset, Frequency Analysis, Speech Activity, Audio Dropout, Path Confirmation, and One Way and Round-Trip Delay measurements. |
| VQT009 | Speech-to-Text Conversion | Transcribe short speech files into text. Easy to access transcribed text via file, API, or database. Includes 100,000 transcriptions, more at an additional cost; requires internet connectivity for cloud-based processing |
| VQT208 | Indoor (Underground) Tracking System | Provides location and timing information with voice quality for underground (non-GPS) areas |
| VBA032 | Voice Band Analyzer | Analyze voice band parameters e.g. speech level, echo, noise, etc. – requires a separate PC and dongle |
| VQT035 | Voice Recorder (FXO RJ11 Hardware Tap / 2-Wire Capture Software) | Used for capturing Audio from RJ11 connections for GL Insight Fax / Modem Analysis, requires warranty for USB T1E1 unit; includes FXO RJ11 Hardware Tap |
| EMU037 | Echo Measurement Utility | Analyzes echo return loss (ERL) and echo path delay (EPD) for 2Wire Analog, VoIP, T1 E1, and Mobile networks; PKB070 is included |
| PKB070 | Audio Processing Utility | Adds noise, creates line or acoustic echo, analyzes speech level and other useful functions – requires dongle; included with EMU037 |
| SA048 | Goldwave Software | Accessory software for creating and viewing audio files. Desirable for VQuad™ but required for VQT002 and VQT004 |

| Part Number | Description | Notes |
|-------------|--|---|
| | <i>Network Management Options:</i> | |
| VQT040 | VQT Web Viewer | For accessing the VQT results using a Web portal; Includes MySQL database |
| VQT041 | VQT Web Viewer w/ Oracle Database (Perpetual License, Unlimited Users/Nodes) | For accessing VQT results using a Web portal. Includes Oracle 19c Standard Edition One (Perpetual License for Unlimited Users/Nodes) User/Node is defined as any end-node that receives data from or creates data for the Oracle DB, including human users) |

818 West Diamond Avenue - Third Floor. Gaithersburg, MD 20878 ● (V) 301-670-4784 (F) 301-670-9187

Web Page Address: <http://www.gl.com/> ● E-Mail Address: gl-info@gl.com

Prices are subject to change

GL Communications Inc.

Voice Quality Testing Price List

Revised: May 13, 2024

| Part Number | Description | Notes |
|-------------------|--|---|
| | VQuad™ Application Options: | |
| VQT010 | VQuad™ (Automated File Transceiver (AFT) Base Software | Allows automatic sending and recording of voice files for Wireless, Analog, VoIP, and TDM interfaces; with CLI and NetViewer for remoting |
| VQT013 | SIP (VoIP) Call Control | Provides VQuad™ with VoIP Call Control and Traffic Generation and Reception utilizes onboard Ethernet NIC of PC – software only |
| VQT015 | T1 E1 Call Control | Provides VQuad™ with TDM Call Control and Traffic Generation and Reception (CAS and PRI ISDN) – requires LITE versions of T1/E1 hardware cards or USB-based T1/E1 Analyzer unit. Includes xx600, xx610, xx620 |
| VQT022 VQT022a | VQuad™ Fax Emulation (2 simultaneous ports) VQuad™ Fax Emulation (8 simultaneous ports) | Fax Emulation using Dual UTA interfaces (FXO and 4wire); fax rates from 1200 bps to 33.6 kbps; multiple Dual UTAs possible |

| Part Number | Description | Notes |
|-------------|---|--|
| | VQuad™ NetTest: | |
| VQT600 | VQuad NetTest Data Server Solution | Data Quality Measurements including TCP measurements, UDP capacity, VoIP, Route, HTTP, FTP, and DNS; Only one VQT600 required to support entire solution including up to 2500 instances of VQuad and or Apple / Android mobile devices Imp Note: This license is not perpetual; it needs to be renewed every year to keep it working; while quoting this product make sure to inform the customer about it. The renewal of the non-perpetual license is done using VQT600S |
| VQT601 | Mobile Device Controller (MDC) ----- Apple / Android Mobile Device Apps | Remote Control of Apple and Android mobile devices from VQuad Script; Apple and Android apps are available at “no charge” (NetQCheck) |
| VQT611 | Target Data Server (1 Gbps) | Used in conjunction with VQuad / Apple / Android NetTest; provides detailed measurement statistics; many can be deployed simultaneously. |
| VQT650 | Video Application Controller (VAC) | VAC includes VAC Server (Linux) and VAC companion software (Windows); Does not include 2 PCs |
| VQT661 | VAC Windows/Linux Agent, single license | Windows/Linux Agent, single license, 5 Mbps |
| VQT662 | VAC Windows/Linux Agent, single license | Windows/Linux Agent, single license, 10 Mbps |
| VQT663 | VAC Windows/Linux Agent, single license | Windows/Linux Agent, single license, 50 Mbps |
| VQT671 | VAC Android Agent, single license | Android Agent, single license, 5Mbps |

818 West Diamond Avenue - Third Floor. Gaithersburg, MD 20878 ● (V) 301-670-4784 (F) 301-670-9187

Web Page Address: <http://www.gl.com/> ● E-Mail Address: gl-info@gl.com

Prices are subject to change

GL Communications Inc.

Voice Quality Testing Price List

Revised: May 13, 2024

| | | |
|--------|-------------------------------------|--|
| VQT680 | PEVQ Video Streaming Server | supports Video Streaming Analysis (MOS) on Android or Windows (requires WinPC) |
| VQT681 | PEVQ Video Streaming Device license | per Rooted Android or Windows device |

| Part Number | Description | Notes |
|-------------|--|--|
| | <i>Hardware Options:</i> | |
| VQT251 | Dual UTA HD | Next generation Dual UTA with FXO Wideband support |
| VQT011 | Dual UTA - Software Development Kit (SDK) | Dual UTA – Software Development Toolkit (SDK) with documentation for custom software development applications |
| VQT245 | Dual UTA - 4-Port TTL Option | TTL Triggers – 4 Ports, for PTT Key/UnKey, Audio Send/Detected |
| VQT252 | Dual UTA HD – Bluetooth Option | Dual wideband Bluetooth interfaces, antennas |
| VQT252x | Dual UTA HD – Bluetooth Option Upgrade | Dual wideband Bluetooth interfaces to existing Dual UTA HD (unit must be shipped back to GL for upgrade) |
| VQT204 | Dual UTA – GPS Option | Provides Garmin GPS receiver and custom cable for interfacing to Dual UTA - location and one pulse-per-second timing are both available |
| VQT442 | Dual UTA Mobile Audio Cable for Smartphones | Connects Dual UTA Tx / Rx audio to 3.5mm jack-enabled Smartphones |
| VQT461 | Dual UTA HD Smartphone ACC Cable | Connects Dual UTA HD PTT (RJ45) to 3.5mm jack-enabled Smartphones. The Smartphone ACC (Automated Call Control) cable provides voice path along with automated call control using the VQuad PTT functionality. Automated Place Call can be supported using the Android Google Voice and IOS Siri applications |
| VQT443 | Cellphone Adapter Cable | Custom, adapts VQT442 to 2.5mm 3 wire plug |
| VQT209 | Dual UTA Audio / PTT 600ohm to 50ohm Adapter | Includes RJ45 to RJ45 for connecting to Dual UTA and Dual UTA HD. |
| VQT448 | Dual UTA Audio/PTT Interface Cable (RJ45 to LEMO), includes both Left and Right cables | Custom RJ45 to LEMO LEFT and RJ45 to LEMO RIGHT (includes both cables). Connects Dual UTA to FAA Voice Switch / Plug Termination |
| VQT449 | Dual UTA Audio /PTT Interface Cable (RJ-45 to W425) | Custom RJ-45 to W425 (Dual WECO 310). Connects Dual UTA to FAA Voice Switch / Plug Termination |
| VQT446 | Dual UTA HD Custom PTT Audio Cable | For Dual UTA HD (VQT251 and VQT241), custom RJ45 PTT Cable |
| VQT451 | Dual UTA HD Mini XLR PTT Adapter Cable | Adaptor for converting Dual UTA (VQT241) RJ45 cable to Dual UTA HD (VQT251) Mini XLR cable |

818 West Diamond Avenue - Third Floor. Gaithersburg, MD 20878 ● (V) 301-670-4784 (F) 301-670-9187

Web Page Address: <http://www.gl.com/> ● E-Mail Address: gl-info@gl.com

Prices are subject to change

GL Communications Inc.

Voice Quality Testing Price List

Revised: May 13, 2024

| Part Number | Description | Notes |
|-------------|--------------------------------------|--|
| | <i>Platform Options:</i> | |
| VQT280 | VQuad Probe HD with Dual UTA HD | Self-contained unit for unattended testing includes VQuad, Dual UTA HD, and PC with the failsafe operation. PC portion includes two GBit Ethernet and four external USB interfaces |
| VQT281 | VQuad Probe HD w/o Dual UTA HD | Self-contained unit for unattended testing includes VQuad and PC with failsafe operation. PC portion includes two GBit Ethernet and four external USB interfaces |
| VQT285 | VQuad Probe HD Upgrade | Upgrade existing VQuad and Dual UTA HD into a single self-contained unit for unattended testing. Includes PC with fail-safe operation and support for adding customer Dual UTA HD. PC portion includes two GBit Ethernet and four external USB interfaces |
| VQT291 | vMobile – Portable VQT Test Solution | Fully portable and self-contained testing solution for performing Voice Quality and Delay measurements. Includes two Bluetooth modules, a 4-wire Analog, Wi-Fi, and GPS connectivity including an external antenna. Fully automated and remote-controlled using Console and Console App. |
| VQT273 | VQuad Probe Watchdog Service | Background service for VQuad Probe, auto reboot Probe if Windows becomes inactive or VQuad software is non-responsive. Normal shutdown of VQuad will not cause reboot (i.e. VQuad Probe maintenance or software upgrade) |
| VQT275 | <u>VQuad Probe Upgrade</u> | <u>Upgrade existing VQuad/Dual UTA into a single self-contained unit for unattended testing. Includes PC with failsafe operation. PC portion includes two GBit Ethernet and four external USB interfaces</u> |
| VQT279 | VQuad Probe Rackmount Kit | Attaches to VQuad Probe to allow VQuad Probe to be mounted to a 19' Rack |
| MT001 | mTOP 1U Rack Mount Enclosure w/SBC | 1U 19" Rack Mount Enclosure w/Rails, Multiple Interface TDM/Optical/Packet w/Single Board Computer (SBC) (Specs: 240 GB SSD, 8GB RAM, i3 Equivalent, Win 10/64), USB 3.0 Hub, ATX Power Supply, Can house any combination of three (3) USB based units - PacketExperts, tProbes, Dual UTAs, and LightSpeeds; Optional VGA to mini DP interface cable |
| MT001E | mTOP with i7 | Same as MT001 but with Intel Core i7; |
| MT002 | mTOP 1U Rack Mount Enclosure w/o SBC | w/o SBC, but for use with MT001 for Daisy Chain or other Rack PCs |
| MT005 | mTOP Probe | Portable stand-alone unit, includes i3 Intel NUC (w 8GB RAM, 256 GB HDD, Win 10/64); packaged in a more compact design with support for a single GL board; Can house any one of the USB based units - PacketExperts, tProbes, Dual UTAs, T3/E3 units and LightSpeeds; Optional VGA to mini DP interface cable. Dimensions: 264mm long, 76.6mm high, and 212.6mm wide |

818 West Diamond Avenue - Third Floor. Gaithersburg, MD 20878 ● (V) 301-670-4784 (F) 301-670-9187

Web Page Address: <http://www.gl.com/> ● E-Mail Address: gl-info@gl.com

Prices are subject to change

GL Communications Inc.

Voice Quality Testing Price List

Revised: May 13, 2024

| | | |
|--------|--------------------|---------------------------------------|
| MT005E | mTOP Probe with i7 | Same as MT005 but with Intel Core i7; |
|--------|--------------------|---------------------------------------|

| Part Number | Description | Notes |
|-------------|---|---|
| | Support Options: | |
| VQT900 | Extended (Annual) VQT Software Upgrades & Comprehensive Support | Software enhancements and support for subsequent one-year increments |
| VQT009S | Extended (Annual) VQT009 Speech-to-Text Conversion Software Upgrades & Comprehensive Support | Software enhancements and support for subsequent one-year increments |
| EMU037S | Extended (Annual) EMU037 Software Upgrades & Comprehensive Support | Software enhancements and support for subsequent one-year increments |
| VQT040S | Extended (Annual) VQT040 WebViewer Software Upgrades & Comprehensive Support | Software enhancements and support for subsequent one-year increments |
| VQT041S | Extended (Annual) VQT041 WebViewer (with Oracle Database) Software Upgrades & Comprehensive Support | Software enhancements and support for subsequent one-year increments |
| VQT022S | Extended (Annual) VQT022 VQuad Fax Software Upgrades & Comprehensive Support | Software enhancements and comprehensive support for one-year |
| VQT600S | Extended (Annual) VQT600 NetTest Software Upgrades & Comprehensive Support | Software enhancements and support for subsequent one-year increments – for VQT600 only |
| VQT601S | Extended (Annual) VQT601 NetTest Software Upgrades & Comprehensive Support | Software enhancements and support for subsequent one-year increments – for VQT601 only |
| VQT611S | Extended (Annual) VQT611 NetTest Target Server (1 Gbps) Hardware Warranty | Hardware Warranty for VQT611 |
| VQT280S | Extended (Annual) VQT280 VQuad Warranty + Dual UTA HD / VQuad Probe HD Hardware Warranty | Hardware and Software Warranty for VQT280, Includes Dual UTA HD and VQuad Software Upgrades and Comprehensive Support |
| VQT650S | Extended (Annual) VAC Server Software Upgrades & Comprehensive Support | Software enhancements and support for subsequent one-year increments |
| VQT661S | Extended (Annual) VAC 5Mbps Agent Software Upgrades & Comprehensive Support | Software enhancements and support for subsequent one-year increments |
| VQT662S | Extended (Annual) VAC 10Mbps Agent Software Upgrades & Comprehensive Support | Software enhancements and support for subsequent one-year increments |
| VQT663S | Extended (Annual) VAC 50Mbps Agent Software Upgrades & Comprehensive Support | Software enhancements and support for subsequent one year increments |
| VQT671S | Extended (Annual) VAC 5Mbps Android Agent Software Upgrades & Comprehensive Support | Software enhancements and support for subsequent one-year increments |
| VQT901 | Reinstatement of Interrupted Support | Software enhancements and comprehensive support for one-year |

818 West Diamond Avenue - Third Floor. Gaithersburg, MD 20878 ● (V) 301-670-4784 (F) 301-670-9187

Web Page Address: <http://www.gl.com/> ● E-Mail Address: gl-info@gl.com

Prices are subject to change

GL Communications Inc.
Voice Quality Testing Price List

Revised: May 13, 2024

| | | |
|--------|---|--------------------------------|
| VQT902 | Extended (Annual) VQuad™ Software Upgrades & Comprehensive Support | Includes upgrade from AFT |
| VQT903 | Extended Dual UTA or Dual UTA HD Hardware Warranty (2 nd Year) | For Dual UTA (VQT241, VQT251) |
| VQT910 | VQuad / VQT Training | Software and hardware training |

Note: For T1, E1, Analog, and VoIP interface platforms that support VQT, please see Price Lists for T1 E1 Analysis Products, and Packet Ethernet Products.