

# ExpertSAM

## Test Report : PXN100 ExpertSAM

**Start Date :** 12/10/19

**Start Time :** 12:06:51

**End Date :** 12/10/19

**End Time :** 13:00:39

**User Comments :**

## Port - 1 Interface

**Hardware MAC Address :** 00-21-C2-00-25-52

**Speed :** 1000 Mbps

**Link Status :** Up

**Duplex Mode :** Full Duplex

**Auto Negotiation Status :** Complete

**Flow Control :** Enabled

## Service Configuration Results Summary

Test	Verdict	IR Avg (Mbps)	FL Count	FLR (%)	FTD Avg (ms)	FDV Avg (ms)
Service 1 :CIR	PASS	60.00	0	0.000	0.006	0.000002
Service 1 :EIR(G)	PASS	60.00	1	0.001	0.006	0.000002
Service 1 :EIR(Y)	PASS	20.00	1	0.001	0.006	0.000003
Service 1 :TP(G)	-	0.00	0	0.000	0.000	0.000000
Service 1 :TP(Y)	-	0.00	0	0.000	0.000	0.000000
Service 2 :CIR	PASS	60.00	1	0.001	0.006	0.000002
Service 2 :EIR(G)	PASS	59.98	1	0.001	0.006	0.000002
Service 2 :EIR(Y)	PASS	19.99	1	0.001	0.006	0.000003
Service 2 :TP(G)	-	0.00	0	0.000	0.000	0.000000
Service 2 :TP(Y)	-	0.00	0	0.000	0.000	0.000000
Service 3 :CIR	PASS	60.00	1	0.001	0.006	0.000002
Service 3 :EIR(G)	PASS	59.98	1	0.001	0.006	0.000002
Service 3 :EIR(Y)	PASS	19.99	1	0.001	0.006	0.000003
Service 3 :TP(G)	-	0.00	0	0.000	0.000	0.000000
Service 3 :TP(Y)	-	0.00	0	0.000	0.000	0.000000
Service 4 :CIR	PASS	60.00	1	0.001	0.006	0.000002
Service 4 :EIR(G)	PASS	59.98	1	0.001	0.006	0.000002
Service 4 :EIR(Y)	PASS	19.99	1	0.001	0.006	0.000003
Service 4 :TP(G)	-	0.00	0	0.000	0.000	0.000000
Service 4 :TP(Y)	-	0.00	0	0.000	0.000	0.000000
Service 5 :CIR	PASS	60.00	1	0.001	0.006	0.000002

---

<b>Service 5 :EIR(G)</b>	PASS	59.98	1	0.001	0.006	0.000002
<b>Service 5 :EIR(Y)</b>	PASS	19.99	1	0.001	0.006	0.000003
<b>Service 5 :TP(G)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 5 :TP(Y)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 6 :CIR</b>	PASS	60.00	1	0.001	0.006	0.000002
<b>Service 6 :EIR(G)</b>	PASS	59.98	0	0.000	0.006	0.000002
<b>Service 6 :EIR(Y)</b>	PASS	19.99	0	0.000	0.006	0.000003
<b>Service 6 :TP(G)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 6 :TP(Y)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 7 :CIR</b>	PASS	60.00	1	0.001	0.006	0.000002
<b>Service 7 :EIR(G)</b>	PASS	59.98	1	0.001	0.006	0.000002
<b>Service 7 :EIR(Y)</b>	PASS	19.99	1	0.001	0.006	0.000003
<b>Service 7 :TP(G)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 7 :TP(Y)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 8 :CIR</b>	PASS	60.00	1	0.001	0.006	0.000002
<b>Service 8 :EIR(G)</b>	PASS	59.98	1	0.001	0.006	0.000002
<b>Service 8 :EIR(Y)</b>	PASS	19.99	1	0.001	0.006	0.000003
<b>Service 8 :TP(G)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 8 :TP(Y)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 9 :CIR</b>	PASS	60.00	1	0.001	0.006	0.000002
<b>Service 9 :EIR(G)</b>	PASS	59.98	1	0.001	0.006	0.000002
<b>Service 9 :EIR(Y)</b>	PASS	19.99	1	0.001	0.006	0.000003
<b>Service 9 :TP(G)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 9 :TP(Y)</b>	-	0.00	0	0.000	0.000	0.000000

---

<b>Service 10 :CIR</b>	PASS	60.00	1	0.001	0.006	0.000002
<b>Service 10 :EIR(G)</b>	PASS	59.98	0	0.000	0.006	0.000002
<b>Service 10 :EIR(Y)</b>	PASS	19.99	0	0.000	0.006	0.000003
<b>Service 10 :TP(G)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 10 :TP(Y)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 11 :CIR</b>	PASS	60.00	1	0.001	0.006	0.000002
<b>Service 11 :EIR(G)</b>	PASS	59.98	1	0.001	0.006	0.000002
<b>Service 11 :EIR(Y)</b>	PASS	19.99	1	0.001	0.006	0.000003
<b>Service 11 :TP(G)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 11 :TP(Y)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 12 :CIR</b>	PASS	60.00	1	0.001	0.006	0.000002
<b>Service 12 :EIR(G)</b>	PASS	59.98	1	0.001	0.006	0.000002
<b>Service 12 :EIR(Y)</b>	PASS	19.99	1	0.001	0.006	0.000003
<b>Service 12 :TP(G)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 12 :TP(Y)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 13 :CIR</b>	PASS	60.00	1	0.001	0.006	0.000002
<b>Service 13 :EIR(G)</b>	PASS	80.00	1	0.001	0.006	0.000002
<b>Service 13 :TP(G)</b>	FAIL	100.00	1	0.000	0.006	0.000001
<b>Service 14 :CIR</b>	PASS	60.00	1	0.001	0.006	0.000002
<b>Service 14 :EIR(G)</b>	PASS	59.98	1	0.001	0.006	0.000002
<b>Service 14 :EIR(Y)</b>	PASS	19.99	1	0.001	0.006	0.000003
<b>Service 14 :TP(G)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 14 :TP(Y)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 15 :CIR</b>	PASS	60.00	1	0.001	0.006	0.000002

---

<b>Service 15 :EIR(G)</b>	PASS	80.00	1	0.001	0.006	0.000002
<b>Service 15 :TP(G)</b>	FAIL	100.00	1	0.000	0.006	0.000001
<b>Service 16 :CIR</b>	PASS	60.00	1	0.001	0.006	0.000002
<b>Service 16 :EIR(G)</b>	PASS	59.98	1	0.001	0.006	0.000002
<b>Service 16 :EIR(Y)</b>	PASS	19.99	1	0.001	0.006	0.000003
<b>Service 16 :TP(G)</b>	-	0.00	0	0.000	0.000	0.000000
<b>Service 16 :TP(Y)</b>	-	0.00	0	0.000	0.000	0.000000

## Service Configuration Results

### Service - 1 CIR Results

Verdict : PASS

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00

IR Min (Mbps) : 59.63

IR Avg (Mbps) : 60.00

IR Max (Mbps) : 60.04

FTD Curr (ms) : 0.006

FTD Min (ms) : 0.006

FTD Avg (ms) : 0.006

FTD Max (ms) : 0.006

FDV Curr (ms) : 0.000002

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000002

FDV Max (ms) : 0.000016

### Service - 1 EIR(G) Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.63

IR Min (Mbps) : 59.50

IR Avg (Mbps) : 60.00

IR Max (Mbps) : 60.06

FTD Curr (ms) : 0.006

FTD Min (ms) : 0.006

FTD Avg (ms) : 0.006

FTD Max (ms) : 0.006

FDV Curr (ms) : 0.000002

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000002

FDV Max (ms) : 0.000016

### Service - 1 EIR(Y) Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 19.84

IR Min (Mbps) : 19.84

IR Avg (Mbps) : 20.00

IR Max (Mbps) : 60.06

FTD Curr (ms) : 0.006

FTD Min (ms) : 0.006

FTD Avg (ms) : 0.006

FTD Max (ms) : 0.006

FDV Curr (ms) : 0.000002

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000003

FDV Max (ms) : 0.000016

### Service - 1 TP(G) Results

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.50

IR Min (Mbps) : 0.00

IR Avg (Mbps) : 0.00

IR Max (Mbps) : 0.00

FTD Curr (ms) : 0.000

FTD Min (ms) : 0.000

FTD Avg (ms) : 0.000

FTD Max (ms) : 0.000

FDV Curr (ms) : 0.000000

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000000

FDV Max (ms) : 0.000000

### Service - 1 TP(Y) Results

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00

IR Min (Mbps) : 0.00

IR Avg (Mbps) : 0.00

IR Max (Mbps) : 0.00

FTD Curr (ms) : 0.000

FTD Min (ms) : 0.000

FTD Avg (ms) : 0.000

FTD Max (ms) : 0.000

FDV Curr (ms) : 0.000000

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000000

FDV Max (ms) : 0.000000

**Service - 2 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 2 EIR(G) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.37	IR Avg (Mbps) : 59.98	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 2 EIR(Y) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 19.79	IR Min (Mbps) : 19.79	IR Avg (Mbps) : 19.99	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000003	FDV Max (ms) : 0.000016

**Service - 2 TP(G) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 2 TP(Y) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000



**Service - 3 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 3 EIR(G) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.37	IR Avg (Mbps) : 59.98	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 3 EIR(Y) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 19.79	IR Min (Mbps) : 19.79	IR Avg (Mbps) : 19.99	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000003	FDV Max (ms) : 0.000016

**Service - 3 TP(G) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 3 TP(Y) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 4 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 4 EIR(G) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.37	IR Avg (Mbps) : 59.98	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 4 EIR(Y) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 19.79	IR Min (Mbps) : 19.79	IR Avg (Mbps) : 19.99	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000003	FDV Max (ms) : 0.000016

**Service - 4 TP(G) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 4 TP(Y) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 5 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 5 EIR(G) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.37	IR Avg (Mbps) : 59.98	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 5 EIR(Y) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 19.79	IR Min (Mbps) : 19.79	IR Avg (Mbps) : 19.99	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000003	FDV Max (ms) : 0.000016

**Service - 5 TP(G) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 5 TP(Y) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 6 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 6 EIR(G) Results**

Verdict : PASS

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.37	IR Avg (Mbps) : 59.98	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 6 EIR(Y) Results**

Verdict : PASS

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 19.79	IR Min (Mbps) : 19.79	IR Avg (Mbps) : 19.99	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000003	FDV Max (ms) : 0.000016

**Service - 6 TP(G) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 6 TP(Y) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 7 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 7 EIR(G) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.37	IR Avg (Mbps) : 59.98	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 7 EIR(Y) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 19.79	IR Min (Mbps) : 19.79	IR Avg (Mbps) : 19.99	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000003	FDV Max (ms) : 0.000016

**Service - 7 TP(G) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 7 TP(Y) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 8 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 8 EIR(G) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.37	IR Avg (Mbps) : 59.98	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 8 EIR(Y) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 19.79	IR Min (Mbps) : 19.79	IR Avg (Mbps) : 19.99	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000003	FDV Max (ms) : 0.000016

**Service - 8 TP(G) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 8 TP(Y) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 9 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00

IR Min (Mbps) : 59.62

IR Avg (Mbps) : 60.00

IR Max (Mbps) : 60.04

FTD Curr (ms) : 0.006

FTD Min (ms) : 0.006

FTD Avg (ms) : 0.006

FTD Max (ms) : 0.006

FDV Curr (ms) : 0.000002

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000002

FDV Max (ms) : 0.000016

**Service - 9 EIR(G) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62

IR Min (Mbps) : 59.37

IR Avg (Mbps) : 59.98

IR Max (Mbps) : 60.06

FTD Curr (ms) : 0.006

FTD Min (ms) : 0.006

FTD Avg (ms) : 0.006

FTD Max (ms) : 0.006

FDV Curr (ms) : 0.000002

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000002

FDV Max (ms) : 0.000016

**Service - 9 EIR(Y) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 19.79

IR Min (Mbps) : 19.79

IR Avg (Mbps) : 19.99

IR Max (Mbps) : 60.06

FTD Curr (ms) : 0.006

FTD Min (ms) : 0.006

FTD Avg (ms) : 0.006

FTD Max (ms) : 0.006

FDV Curr (ms) : 0.000002

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000003

FDV Max (ms) : 0.000016

**Service - 9 TP(G) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37

IR Min (Mbps) : 0.00

IR Avg (Mbps) : 0.00

IR Max (Mbps) : 0.00

FTD Curr (ms) : 0.000

FTD Min (ms) : 0.000

FTD Avg (ms) : 0.000

FTD Max (ms) : 0.000

FDV Curr (ms) : 0.000000

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000000

FDV Max (ms) : 0.000000

**Service - 9 TP(Y) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00

IR Min (Mbps) : 0.00

IR Avg (Mbps) : 0.00

IR Max (Mbps) : 0.00

FTD Curr (ms) : 0.000

FTD Min (ms) : 0.000

FTD Avg (ms) : 0.000

FTD Max (ms) : 0.000

FDV Curr (ms) : 0.000000

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000000

FDV Max (ms) : 0.000000

**Service - 10 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 10 EIR(G) Results**

Verdict : PASS

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.37	IR Avg (Mbps) : 59.98	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 10 EIR(Y) Results**

Verdict : PASS

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 19.79	IR Min (Mbps) : 19.79	IR Avg (Mbps) : 19.99	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000003	FDV Max (ms) : 0.000016

**Service - 10 TP(G) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 10 TP(Y) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000



**Service - 11 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 11 EIR(G) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.37	IR Avg (Mbps) : 59.98	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 11 EIR(Y) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 19.79	IR Min (Mbps) : 19.79	IR Avg (Mbps) : 19.99	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000003	FDV Max (ms) : 0.000016

**Service - 11 TP(G) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 11 TP(Y) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 12 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 12 EIR(G) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.37	IR Avg (Mbps) : 59.98	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 12 EIR(Y) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 19.79	IR Min (Mbps) : 19.79	IR Avg (Mbps) : 19.99	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000003	FDV Max (ms) : 0.000016

**Service - 12 TP(G) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 12 TP(Y) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

**Service - 13 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 13 EIR(G) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 79.34	IR Avg (Mbps) : 80.00	IR Max (Mbps) : 80.07
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 13 TP(G) Results**

Verdict : FAIL

FL Count : 1

FLR (%) : 0.000

IR Curr (Mbps) : 79.34	IR Min (Mbps) : 98.98	IR Avg (Mbps) : 100.00	IR Max (Mbps) : 100.11
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000001	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000001	FDV Max (ms) : 0.000016

**Service - 14 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 98.98	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 14 EIR(G) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.37	IR Avg (Mbps) : 59.98	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

**Service - 14 EIR(Y) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 19.79

IR Min (Mbps) : 19.79

IR Avg (Mbps) : 19.99

IR Max (Mbps) : 60.06

FTD Curr (ms) : 0.006

FTD Min (ms) : 0.006

FTD Avg (ms) : 0.006

FTD Max (ms) : 0.006

FDV Curr (ms) : 0.000002

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000003

FDV Max (ms) : 0.000016

**Service - 14 TP(G) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37

IR Min (Mbps) : 0.00

IR Avg (Mbps) : 0.00

IR Max (Mbps) : 0.00

FTD Curr (ms) : 0.000

FTD Min (ms) : 0.000

FTD Avg (ms) : 0.000

FTD Max (ms) : 0.000

FDV Curr (ms) : 0.000000

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000000

FDV Max (ms) : 0.000000

**Service - 14 TP(Y) Results**

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00

IR Min (Mbps) : 0.00

IR Avg (Mbps) : 0.00

IR Max (Mbps) : 0.00

FTD Curr (ms) : 0.000

FTD Min (ms) : 0.000

FTD Avg (ms) : 0.000

FTD Max (ms) : 0.000

FDV Curr (ms) : 0.000000

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000000

FDV Max (ms) : 0.000000

**Service - 15 CIR Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 0.00

IR Min (Mbps) : 59.62

IR Avg (Mbps) : 60.00

IR Max (Mbps) : 60.04

FTD Curr (ms) : 0.006

FTD Min (ms) : 0.006

FTD Avg (ms) : 0.006

FTD Max (ms) : 0.006

FDV Curr (ms) : 0.000002

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000002

FDV Max (ms) : 0.000016

**Service - 15 EIR(G) Results**

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62

IR Min (Mbps) : 79.34

IR Avg (Mbps) : 80.00

IR Max (Mbps) : 80.07

FTD Curr (ms) : 0.006

FTD Min (ms) : 0.006

FTD Avg (ms) : 0.006

FTD Max (ms) : 0.006

FDV Curr (ms) : 0.000002

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000002

FDV Max (ms) : 0.000016

### Service - 15 TP(G) Results

Verdict : FAIL

FL Count : 1

FLR (%) : 0.000

IR Curr (Mbps) : 79.34	IR Min (Mbps) : 98.98	IR Avg (Mbps) : 100.00	IR Max (Mbps) : 100.11
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000001	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000001	FDV Max (ms) : 0.000016

### Service - 16 CIR Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 98.98	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

### Service - 16 EIR(G) Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.37	IR Avg (Mbps) : 59.98	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

### Service - 16 EIR(Y) Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 19.79	IR Min (Mbps) : 19.79	IR Avg (Mbps) : 19.99	IR Max (Mbps) : 60.06
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000003	FDV Max (ms) : 0.000016

### Service - 16 TP(G) Results

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.37	IR Min (Mbps) : 0.00	IR Avg (Mbps) : 0.00	IR Max (Mbps) : 0.00
FTD Curr (ms) : 0.000	FTD Min (ms) : 0.000	FTD Avg (ms) : 0.000	FTD Max (ms) : 0.000
FDV Curr (ms) : 0.000000	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000000	FDV Max (ms) : 0.000000

## Service - 16 TP(Y) Results

Verdict : -

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 0.00

IR Min (Mbps) : 0.00

IR Avg (Mbps) : 0.00

IR Max (Mbps) : 0.00

FTD Curr (ms) : 0.000

FTD Min (ms) : 0.000

FTD Avg (ms) : 0.000

FTD Max (ms) : 0.000

FDV Curr (ms) : 0.000000

FDV Min (ms) : 0.000000

FDV Avg (ms) : 0.000000

FDV Max (ms) : 0.000000

**Service Performance Results Summary**

Service #	Verdict	IR Avg (Mbps)	FL Count	FLR (%)	FTD Avg (ms)	FDV Avg (ms)
Service1	PASS	60.00	0	0.000	0.006	0.000002
Service2	PASS	60.00	1	0.001	0.006	0.000002
Service3	PASS	60.00	1	0.001	0.006	0.000002
Service4	PASS	60.00	1	0.001	0.006	0.000002
Service5	PASS	60.00	1	0.001	0.006	0.000002
Service6	PASS	60.00	1	0.001	0.006	0.000002
Service7	PASS	60.00	1	0.001	0.006	0.000002
Service8	PASS	60.00	1	0.001	0.006	0.000002
Service9	PASS	60.00	1	0.001	0.006	0.000002
Service10	PASS	60.00	1	0.001	0.006	0.000002
Service11	PASS	60.00	1	0.001	0.006	0.000002
Service12	PASS	60.00	1	0.001	0.006	0.000002
Service13	PASS	60.00	1	0.001	0.006	0.000002
Service14	PASS	60.00	1	0.001	0.006	0.000002
Service15	PASS	60.00	1	0.001	0.006	0.000002
Service16	PASS	60.00	1	0.001	0.006	0.000002

## Service Performance Results

### Service - Service1 Results

Verdict : PASS

FL Count : 0

FLR (%) : 0.000

IR Curr (Mbps) : 59.63	IR Min (Mbps) : 59.63	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

### Service - Service2 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

### Service - Service3 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

### Service - Service4 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016



## Service - Service5 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

## Service - Service6 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

## Service - Service7 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

## Service - Service8 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

## Service - Service9 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

## Service - Service10 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

## Service - Service11 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

## Service - Service12 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

## Service - Service13 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

## Service - Service14 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

## Service - Service15 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

## Service - Service16 Results

Verdict : PASS

FL Count : 1

FLR (%) : 0.001

IR Curr (Mbps) : 59.62	IR Min (Mbps) : 59.62	IR Avg (Mbps) : 60.00	IR Max (Mbps) : 60.04
FTD Curr (ms) : 0.006	FTD Min (ms) : 0.006	FTD Avg (ms) : 0.006	FTD Max (ms) : 0.006
FDV Curr (ms) : 0.000002	FDV Min (ms) : 0.000000	FDV Avg (ms) : 0.000002	FDV Max (ms) : 0.000016

## Service 1 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : 10-11-11-11-11-11  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.101  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.201  
TOS/DS : 10  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Enabled  
C-Tag Type : 81-00      ID : 6      Priority : 6  
Enable S-Tag : Enabled  
S-Tag Type : 88-a8      ID : 12      Priority : 7

### UDP

Source UDP Port : 10100  
Destination UDP Port : 20100

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2,45  
Yellow Frames : 3

## Service 2 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : 22-22-22-22-22-22  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.101  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.201  
TOS/DS : 1  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : 10200  
Destination UDP Port : 20200

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4

## Service 3 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : 30-33-33-33-33-33  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.103  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.203  
TOS/DS : 1  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : 10300  
Destination UDP Port : 20300

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4

## Service 4 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : 44-44-44-44-44-44  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.104  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.204  
TOS/DS : 1  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : 10400  
Destination UDP Port : 20400

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4

## Service 5 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : 50-55-55-55-55-55  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.105  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.205  
TOS/DS : 5  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Enabled  
S-Tag Type : 81-00      ID : 12      Priority : 1

### UDP

Source UDP Port : 10500  
Destination UDP Port : 20500

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4



## Service 6 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : 66-66-66-66-66-66  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.106  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.206  
TOS/DS : 1  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : 10600  
Destination UDP Port : 20600

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4

## Service 7 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : 70-77-77-77-77-77  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.107  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.207  
TOS/DS : 7  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Enabled  
C-Tag Type : 81-00      ID : 12      Priority : 1  
Enable S-Tag : Enabled  
S-Tag Type : 88-a8      ID : 13      Priority : 1

### UDP

Source UDP Port : 10700  
Destination UDP Port : 20700

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4

## Service 8 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : 88-88-88-88-88-88  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.108  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.208  
TOS/DS : 1  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : 10800  
Destination UDP Port : 20800

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4

## Service 9 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : 90-99-99-99-99-99  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.109  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.209  
TOS/DS : 1  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : 10900  
Destination UDP Port : 20900

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4

## Service 10 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : aa-aa-aa-aa-aa-aa  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.110  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.210  
TOS/DS : 1  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0 ms  
Frame Delay Variation : 5.0 ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : 11000  
Destination UDP Port : 21000

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4

## Service 11 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : b0-bb-bb-bb-bb-bb  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.111  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.211  
TOS/DS : 1  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : 11100  
Destination UDP Port : 21100

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4

## Service 12 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : cc-cc-cc-cc-cc-cc  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.112  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.212  
TOS/DS : 1  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0 ms  
Frame Delay Variation : 5.0 ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : 11200  
Destination UDP Port : 21200

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4

## Service 13 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : d0-dd-dd-dd-dd-dd  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.113  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.213  
TOS/DS : 0  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 4

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : IPv4

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : -  
Destination UDP Port : -

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Disabled  
Color Aware Method : -  
Green Frames : -  
Yellow Frames : -



## Service 14 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : ee-ee-ee-ee-ee-ee  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.114  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.214  
TOS/DS : 1  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : 11400  
Destination UDP Port : 21400

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4

## Service 15 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : f0-ff-ff-ff-ff-ff  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.115  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.215  
TOS/DS : 0  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : 11500  
Destination UDP Port : 21500

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Disabled  
Color Aware Method : -  
Green Frames : -  
Yellow Frames : -

## Service 16 Configuration

### Framesize

Framesize Type : Fixed  
512 - -

### MAC

Source MAC Address : 00-21-c2-00-25-52  
Destination MAC Address : 12-12-12-12-12-12  
Len/Type : 08-00

### IPv4

Source IPv4 Address : 192.168.1.116  
Subnet Mask : 255.255.255.0  
Enable Gateway : Disabled  
Default Gateway : -  
Destination IPv4 Address : 192.168.1.216  
TOS/DS : 1  
Checksum Enable : Enabled      Checksum : -  
TTL : 128      Protocol : 17

### BW Profile

CIR (Mbps) : 6.0  
EIR (Mbps) : 80.0  
Traffic Policing (Mbps) : 100.0

### SAC Parameters

Frameless Ratio (%) : 1.0  
Frame Transfer Delay : 5.0      ms  
Frame Delay Variation : 5.0      ms

### Layer

Layer Selection : UDP

### VLAN

Enable VLAN : Disabled  
C-Tag Type : -      ID : -      Priority : -  
Enable S-Tag : Disabled  
S-Tag Type : -      ID : -      Priority : -

### UDP

Source UDP Port : 11600  
Destination UDP Port : 21600

### Payload

Payload : 12-34

### Color Aware

Enable Color Aware : Enabled  
Color Aware Method : IP TOS  
Green Frames : 1,2  
Yellow Frames : 3,4

## Test Selection

**Service Configuration Test Enabled :** Enabled

**CIR Test Type :** SimpleCIR

**EIR Enabled :** Enabled

**Traffic Policing Enabled :** Enabled

**Step Duration (sec) :** 10

**Steps (% of CIR) :** - - -

- - -

-

**Service Performance Test Enabled :** Enabled

**Service Performance Test Duration (min) :** 1

